


ARTCARETM Archival Foamboard

The only foamboard that truly protects your art.

Artcare Foamboard goes the extra mile to actively protect artwork and trap harmful substances that are out gassed by all other foamboards. As this illustration shows, all foamboard naturally gives off a variety of volatile compounds which can visibly damage art. Only Artcare Archival Foamboard is chemically and physically engineered to trap the harmful gases and protect the artwork mounted on it.



Dr. Peter SparksPreservation Consultant
Former Director for Preservation
Library of Congress

"It is Important that you know other acid-free foamboards claiming to be "archival" and "good enough" don't protect against the harmful effects of outgassing. Artcare™ Archival Foamboard is the only foamboard I would recommend for conservation framing."



ARTCARE™ Archival Protection



Other "Archival" Protection


| | foamboards ex | pose artw | ork to harr | nful gases. | |
|-----|--------------------------|------------------|-------------------|----------------------|--|
| 110 | | | | | |
| 90 | | | _ | _ | |
| 70 | | | | | |
| 50 | | | - | _ | |
| 30 | | | _ | _ | |
| 10 | | - | - | | |
| | ARTCARE | BRAND A | BRAND B | BRAND C | |
| | This chart above shows t | he amount of har | mful chemicals in | cluding plasticizers | |

Independent studies prove other "Archival"

This chart above shows the amount of harmful chemicals, including plasticizers, ketones, aldehydes, and solvents, which were out-gassed from other "archival" foamboards in an independent lab test. Only Arctare Foamboard with MicroChamber technology absorbs and neutralizes these gases, keeping them away from the art.

| | Artcare™Archival Foamboard | Other Conservation Foamboard |
|---|-------------------------------|------------------------------------|
| Protects artwork from harmful effects of foam outgassing | YES | NO |
| Protects against damaging pollutants from the environment | YES | NO |
| Acid-free and lignin-free liners | YES | YES |
| Buffered to maintain alkaline pH | YES | YES |
| Works optimally with the Artcare Archival System | YES | NO |

Artcare[™] **Archival Foamboard**



Not all foamboard is created equal. Artcare™ Archival Foamboard from Bainbridge® is the only one that's truly archival. Other foamboards offer an archival surface, while the foam itself gives off gases that can fade, damage and deteriorate your customers' artwork. But Artcare, with its MicroChamber® technology, absorbs and neutralizes those harmful gases and protects the art well into the future. Plus, our opaque, lightly textured surface papers eliminate show-through and feature a soft white or black color that is suitable for floating applications. Available in White, Black, and 100% cotton rag surface.

Artcare Archival Foamboard

| Part Code | Width | Color | Size | Quantity |
|-----------|-------|-------|---------|----------|
| AC2436.2 | 1/8" | White | 24 x 36 | 25 |
| AC3240.2 | 1/8" | White | 32 x 40 | 25 |
| AC3240.3 | 3/16" | White | 32 x 40 | 25 |
| AC4060.2 | 1/8" | White | 40 x 60 | 25 |
| AC4060.3 | 3/16" | White | 40 x 60 | 25 |
| AC4896.3 | 3/16" | White | 48 x 96 | 25 |
| ACB3240.3 | 3/16" | Black | 32 x 40 | 25 |
| ACB4060.3 | 3/16" | Black | 40 x 60 | 25 |
| | | | | |

Alpharag 100% Cotton Surface

| Part Code | Width | Color | Size | Quantity |
|-----------|-------|-------|---------|----------|
| AR3240.2 | 1/8" | White | 32 x 40 | 25 |
| AR3240.3 | 3/16" | White | 32 x 40 | 25 |
| AR4060.3 | 3/16" | White | 40 x 60 | 25 |
| | | | | |

Bainbridge® Heat-Activated Drymount Boards

Speedmount® Foamboard



SpeedMount makes dry mounting faster than ever, giving you more time to spend with customers and less time mounting. SpeedMount works in just seconds and bonds at temperatures as low as 150°. The ultra smooth coating makes it a perfect surface for mounting everything, including photographs, posters, and decorative papers.

| Part Code | Width | Color | Size | Quantity |
|-------------|-------|-------|---------|----------|
| RMF2436.2C | 1/8" | White | 24 x 36 | 25 |
| RMF2436.3C | 3/16" | White | 24 x 36 | 25 |
| RMF3240.2C | 1/8" | White | 32 x 40 | 25 |
| RMF3240.3C | 3/16" | White | 32 x 40 | 25 |
| RMF4060.2C | 1/8" | White | 40 x 60 | 25 |
| RMF4060.3C | 3/16" | White | 40 x 60 | 25 |
| RMFB3240.3C | 3/16" | Black | 32 x 40 | 25 |

Heat-Activated



Creating an ultra-smooth, strong permanent bond. Contains a special adhesive covering on one side of its clay-coated surface. A non-stick

inter-leaving sheet is supplied as added protection for the artwork during the mounting process.


| Part Code | Width | Color | Size | Quantity |
|------------|-------|-------|---------|----------|
| HAF2436.3C | 3/16" | White | 24 x 36 | 25 |
| HAF3240.3C | 3/16" | White | 32 x 40 | 25 |
| HAF4060.3C | 3/16" | White | 40 x 60 | 25 |

Tips for Success with Heat-Activated Foamboards

- 1) Calibrate your press to understand its real temperature
- 2) Preheat press with release material in the press
- 3) Always check foam surface for dust/lint before
 - Bainbridge® unique dry adhesives allow you to simply brush away any dirt
- Start at the lowest recommended temperature and dwell time.
 - If bond is not adequate, increase dwell time before increasing temperature
 - When increasing temperature, move in 5-10° increments
- 5) Dwell time in vacuum press begins AFTER press has reached full draw.
 - Usually about 30 seconds after start
- Optimal bonds and appearance are achieved by cooling mounted image beneath a smooth, even weight
- 7) Allow art to cool before assessing bond strength

Bainbridge® Self-Adhesive boards

Self-Adhesive Foamboard



Offering a quick mounting pressure-sensitive alternative. The ideal solution when cold mounting is required – it's as easy as peel and stick.

Bainbridge Self-Adhesive Foamboard is initially repositionable, but becomes permanent after 24 hours. The special pH-neutral adhesive creates a bond that is ultra smooth, strong, and will not dry or become brittle over time. Also available in mountboard.

| Part Code | Width | Color | Size | Quantity |
|-------------|-------|-------|---------|----------|
| SAFW2030.3C | 3/16" | White | 20 x 30 | 10 |
| SAFW2436.3C | 3/16" | White | 24 x 36 | 25 |
| SAFW3240.3C | 3/16" | White | 32 x 40 | 25 |
| SAFW4060.3C | 3/16" | White | 40 x 60 | 25 |
| SAFB2030.3C | 3/16" | Black | 20 x 30 | 10 |
| SAFB3240.3C | 3/16" | Black | 32 x 40 | 25 |

Self-Adhesive Mountboard



Ultra smooth and convenient. Simply peel and stick. Initially repositionable with acid-free adhesive. Permanently bonds after 24 hours. Also available in foamboard.

| Part Code | Width | Color | Size | Quantity |
|-------------|--------------|-------|---------|----------|
| SAMX3240.3C | Single Thick | White | 32 x 40 | 25 |

Bainbridge® Acid-Free and Standard Foamboard

Bainbridge® Acid-Free Conservation




Featuring alkaline pH surfaces, with a toothy texture for better adhesive grip. Superior opacity and consistent surface paper formation prevent showthrough better than any competitive acid-free foamboard. Available in

black and white.

| Part Code | Width | Color | Size | Quantity |
|------------|-------|-------|---------|----------|
| AF3240.2C | 1/8" | White | 32 x 40 | 25 |
| AF3240.3C | 3/16" | White | 32 x 40 | 25 |
| AF4060.2C | 1/8" | White | 40 x 60 | 25 |
| AF4060.3C | 3/16" | White | 40 x 60 | 25 |
| AF4896.3C | 3/16" | White | 48 x 96 | 25 |
| BAF3240.3C | 3/16" | Black | 32 x 40 | 25 |
| BAF4060.3C | 3/16" | Black | 40 x 60 | 25 |

Bainbridge® All Black



Featuring a solid black core and dense satin finish on both sides. The perfect choice for virtually all mounting, including floating art in dimensional framing. Cuts cleanly, resists bowing and warping. The ultra smooth surface and non-

reflective finish are also scuff and scratch resistant.

| Part Code | Width | Color | Size | Quantity |
|------------|-------|-------|---------|----------|
| ABF2030.3C | 3/16" | Black | 20 x 30 | 50 |
| ABF3240.3C | 3/16" | Black | 32 x 40 | 25 |
| ABF4060.3C | 3/16" | Black | 40 x 60 | 25 |
| ABF4896.3C | 3/16" | Black | 48 x 96 | 25 |

Bainbridge® Clay Coated



No other foamboard cuts cleaner! Lightweight yet sturdy enough to resist denting, ideal for all non-archival mounting applications. Crisp, clean cuts and edges every time. Clay coated for an extra smooth surface, this multi-

purpose foamboard is bright white on both sides. Available in widths 3/16", 1/8", and 1/2".

| Part Code | Width | Color | Size | Quantity |
|-----------|-------|-------|---------|----------|
| CC810.3C | 3/16" | White | 8 x 10 | 24 |
| CC1114.3C | 3/16" | White | 11 x 14 | 24 |
| CC1620.3C | 3/16" | White | 16 x 20 | 12 |
| CC2030.3C | 3/16" | White | 20 x 30 | 50 |
| CC2436.2C | 1/8" | White | 24 x 36 | 25 |
| CC2436.3C | 3/16" | White | 24 x 36 | 25 |
| CC3040.3C | 3/16" | White | 30 x 40 | 25 |
| CC3042.3C | 3/16" | White | 30 x 42 | 25 |
| CC3240.2C | 1/8" | White | 32 x 40 | 25 |
| CC3240.3C | 3/16" | White | 32 x 40 | 25 |
| CC4060.2C | 1/8" | White | 40 x 60 | 25 |
| CC4060.3C | 3/16" | White | 40 x 60 | 25 |
| CC4896.2C | 1/8" | White | 48 x 96 | 25 |
| CC4896.3C | 3/16" | White | 48 x 96 | 25 |

Smooth Mount



in 1/4" thickness.

| Part Code | Width | Color | Size | Quantity |
|------------|-------|-------|---------|----------|
| SMW3240.4C | 1/4" | White | 32 x 40 | 20 |
| SMW3040.4C | 1/4" | White | 30 x 40 | 20 |
| SMW4060.4C | 1/4" | White | 40 x 60 | 20 |
| SMB3240.4C | 1/4" | Black | 32 x 40 | 20 |

Bainbridge offers the right foamboard for every job! The convenient Usage Guide below can help you determine the perfect product for your framing needs

| If you want | Choose |
|--------------------------|---|
| 100% Archival Protection | 100% Archival Protection Artcare TM Archival Foamboard |
| Conservation Quality | Bainbridge® Conservation Acid-Free Foamboard |
| Acid-Free | Bainbridge® Standard Foamboard |

| | | 2401461 | 40,40 | Seldinz Seldieded 3561d | General adelia? | Top to a a desire | WHEN TO USE | NOA YEAR | Nos leaf | NO _b | SURSHOP SURSHON | 10 10 10 10 10 10 10 10 10 10 10 10 10 1 |
|---|-----|---------------------|-------|----------------------------|-----------------|-------------------|---|----------|----------|-----------------|-----------------|--|
| Artcare [™] Archival Rag-Surface Foamboard | YES | Conservation 8.5 | | YES | YES | YES | F | | | | | |
| Artcare " Archival YES | YES | Conservation 8.5 | YES | YES | YES | YES | For unique soft fexture, back Artcare Rag Surface. Where black background is desirable, use Artcare Blackand where unique soft texture of rag paper is desirable. | 150° | | Alkaline 8.4 | YES | YES |
| Bainbridge® Conservation Acid-Free Foamboard | YES | Conservation 8.5 | | YES | YES | | Featuring lightweight white acid-free liners. For economical conservation mounting. Not recommended for wet mounts. | | | | | |
| Bainbridge® Standard Foamboard | | Acid-Free 7.4 | YES | YES | YES | YES | For all non archival mounting, Where black | | | | | |
| Bainbridge® Smoothmount 1/4" Foamboard | | Acid-Free 7.4 | YES | YES | YES | YES | rigidity use Smoothmount White or Black. | | | | | |
| Speedmount" Heat-Activated Foamboard | | Acid-Free 7.4 | YES | | | | For non-archival permanent mounting of heat-sensitive media using heat or vacuum press. Where black backing is desirable use Speedmount Black. | 150° | | Alkaline 8.4 | | |
| Bainbridge* Heat-Activated Foamboard | | Acid-Free 7.4 | YES | | | | For non-archival permanent mounting of traditional media using heat or vacuum press. Where black backing is desirable, use Heat Activated Black. | 180° | | Alkaline 8.4 | | |
| Bainbridge* Self-Adhesive Foamboard | | Acid-Free 7.4 | YES | | | | For non-archival permanent mounting where media heat tolerace is a concern or not defined. Where black backing is desirable, use Self Adhesive Black. | | YES | Neutral | | initially, then permanent |

Bainbridge® Mountboards

- ARTCARE

Alphamount Artcare



A pure alpha cellulose mounting board that offers archival quality and superior rigidity. Artcare technology provides added protection against harmful pollutants and acid by-products.

| Part Code | Ply | Color | Size | Quantity |
|-----------|-------|-------|---------|----------|
| 8732 | 2 Ply | White | 32 x 40 | 25/50 |
| 8734 | 4 Ply | White | 32 x 40 | 10/25 |

Pulp Board



Our solid cream color core board is perfect for mounting fabrics and other materials to custom matboards.

| Part Code | Width | Color | Size | Quantity |
|-----------|--------------|-------|-------------|----------|
| P040C | Single Thick | Cream | 32 1/4 x 41 | 60 |
| P080C | Double Thick | Cream | 32 1/4 x 41 | 30 |

UB₁



Acid-free, archival surface paper on a newsboard core.

Newsboard



The most economical mounting board. Suited for use with inexpensive or temporary artwork. Ideal filler for non-conservation treatments.

| Part Code | Width | Size | Quantity |
|-----------|--------------|-------------|----------|
| CB040C | Single Thick | 32 1/2 x 41 | 60 |
| | | | |

Part Code Color Size Quantity UB1 White 32 x 40 25

Utility Mounting Board



Alkaline, white, blemishfree surface paper on a smooth newstand core.

| Part Code | Width | Color | Size | Quantity |
|-----------|--------------|-------|---------|----------|
| 2UC | Single Thick | White | 32 x 40 | 25 |
| 4UC | Double Thick | White | 32 x 40 | 12 |

Bainbridge® Presentation Boards

100 Super Black/ Bainbridge 99 Black Presentation



Deep black, scuff-resistant finish. Boards cuts cleanly and is ideal for mounting are and photographs for presentation.

| Part Code | Width | Color | Size | Quantity |
|-----------|--------------|-------|---------|----------|
| SB100C3 | Single Thick | Black | 15 x 20 | 50 |
| SB100C2 | Single Thick | Black | 20 x 30 | 25 |
| SB100C | Single Thick | Black | 32 x 40 | 25 |
| SB100XC2 | Double Thick | Black | 20 x 30 | 25 |
| SB100XC | Double Thick | Black | 32 x 40 | 12 |

89 Black Presentation



Black surface, medium tooth matboard for presentations, mounting, and matting.

| Part Code | Color | Size | Quantity |
|-----------|-------|---------|----------|
| 89C3 | Black | 15 x 20 | 50 |
| 89C2 | Black | 20 x 30 | 25 |
| 89C | Black | 32 x 40 | 25/5 |
| 89P9 | Black | 40 x 60 | 5 |


Black on Black Lightweight



Lightweight, ultra-thin, double sided black mounting board. Perfect for mounting digital prints and many other thin papers.

| Part Code | Color | Size | Quantity |
|-----------|-------|---------|----------|
| 299C1420 | Black | 14 x 20 | 100 |

Total Grey 50/50



Charcoal grey on one side and T.V. grey on the other, with smooth, consistent grey core. Scuff resisitant finish is ideal for mounting purposes.

| Part Code | Width | Size | Quantity |
|-----------|-------|---------|----------|
| GMC3 | Grey | 15 x 20 | 50 |
| GMC2 | Grey | 20 x 30 | 25 |
| GMC | Grey | 32 x 40 | 25 |
| | | | |

Bai

Bainbridge® Illustration Boards

1000 All Purpose Hot Press

A rigid, warp resistant board enables you to achieve a high quality line with it's smooth, white surface.

| Part Code | Width | Color | Size | Quantity |
|-----------|--------------|-------|---------|----------|
| L1000C3 | Single Thick | White | 15 x 20 | 50 |
| L1000C2 | Single Thick | White | 20 x 30 | 25 |
| L1000C1 | Single Thick | White | 30 x 40 | 25 |

2000 Ruling Mechanical

Superior extra smooth ruling board. Reworkability for crisp, quality line work and illustrations. Highly durable and accepts all types of adhesives.

| Part Code | Width | Color | Size | Quantity |
|-----------|--------------|-----------|---------|----------|
| L2000C3 | Single Thick | White/Tan | 15 x 20 | 50 |
| L2000C2 | Single Thick | White/Tan | 20 x 30 | 25 |
| L2000C1 | Single Thick | White/Tan | 30 x 40 | 23 |
| L2000XC1 | Double Thick | White/Tan | 30 x 40 | 12 |

2200 Cold Press

A super white, medium tooth surface for exceptional color intensity and fidelity. It's rag content assures maximum control for a wide range of media. Reworkable.

| Part Code | Width | Color | Size | Quantity |
|-----------|--------------|-------|---------|----------|
| L2200C3 | Single Thick | White | 15 x 20 | 50 |
| L2200C2 | Single Thick | White | 20 x 30 | 25 |
| L2200C1 | Single Thick | White | 30 x 40 | 25 |

172 Smooth or Hot press

Durable, bright white surface. Perfect for marker renderings and line art. Reworkable.

| Part Code | Width | Color | Size | Quantity |
|-----------|--------------|-------|---------|----------|
| 172C3 | Single Thick | White | 15 x 20 | 50 |
| 172C2 | Single Thick | White | 20 x 30 | 25 |
| 172C1 | Single Thick | White | 30 x 40 | 25 |

80 Medium Texture or Cold Press

Rag content wet media board. Super white, perfect for watercolor illustration.

| Part Code | Width | Color | Size | Quantity |
|-----------|--------------|-------|---------|----------|
| 80C3 | Single Thick | White | 15 x 20 | 50 |
| 80C2 | Single Thick | White | 20 x 30 | 25 |
| 80C5 | Single Thick | White | 22 x 30 | 25 |
| 80C1 | Single Thick | White | 30 x 40 | 25 |

Notes

| - | | |
|--------------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

All Bainbridge® mat and foam boards are made with pride in Bridgeview, Illinois, USA. Our dedicated employees are experts in quality assurance, manufacturing, and customerfocused distribution and service. And just as we are committed to producing the finest mat and foam boards in the industry, we are equally committed to protecting the world in which we frame- we proudly purchase raw materials from FSC certified suppliers and follow proactive recycling practices in our office and manufacturing facility.





100 West Willow Road, Wheeling, IL 60090 1-847-537-3400 www.crescentbrands.com

www.nielsenbainbridgegroup.com

#B-FOAM2021